

Prof. Terry Cosgrove, D.Sc.

Published references: NMR Relaxation and Diffusion

T. Cosgrove and R. F. Warren.

Diffusion and nuclear magnetic relaxation in concentrated polystyrene solutions.
Polymer, 18(3):255–8, 1977.

K. G. Barnett, T. Cosgrove, B. Vincent, A. N. Burgess, T. L. Crowley, T. King, J. D. Turner and T. F. Tadros.

Neutron scattering, nuclear magnetic resonance, and photon correlation studies of polymers adsorbed at the solid-solution interface.
Polymer, 22(3):283–5, 1981.

K. G. Barnett, T. Cosgrove, B. Vincent, M. Cohen-Stuart and D. S. Sissons.

The measurement of the polymer-bound fraction at the solid-liquid interface by pulsed nuclear magnetic resonance.
Macromolecules, 14(4):1018–20, 1981.

K. Barnett, T. Cosgrove, T. L. Crowley, T. F. Tadros and B. Vincent.

Neutron scattering, pulsed nuclear magnetic resonance and photon correlation studies of partially-hydrolyzed poly(vinyl acetate) adsorbed on a polystyrene latex dispersion in water.

Eff. Polym. Dispersion Prop., [Proc. Int. Symp.], pages 183–97, 1982.

T. Cosgrove, B. W. Copping and R. A. Jarvis.

Self-diffusion and nuclear spin relaxation of benzene adsorbed on graphitized carbon.
J. Colloid Interface Sci., 96(1):214–21, 1983

Terence Cosgrove and Keith Ryan.

NMR relaxation studies on poly(ethylene oxide) terminally attached at the polystyrene/water interface.

J. Chem. Soc., Chem. Commun., (21):1424–6, 1988.

Mark Morgan, Terence Cosgrove and Robert Richardson.

The diffusion of benzene in high silica zeolite zsm 5 studied by pfgNMR and quens.
Colloids Surf., 36(2):209–19, 1989.

T Cosgrove.

NMR spectroscopy in colloid and interface science.

Colloids and Surfaces, 36:117–8, 1989.

Terence Cosgrove and Keith Ryan.

NMR and neutron-scattering studies on poly(ethylene oxide) terminally attached at the polystyrene/water interface.

Langmuir, 6(1):136–42, 1990.
T. Cosgrove, N. A. Finch and J. R. P. Webster
NMR, SANS and monte carlo simulation studies of adsorbed random copolymers.
Colloids and Surfaces, 45:377–89, 1990

Lee Griffiths, Rob Horton and Terence Cosgrove.
NMR diffusion measurements using refocused three-pulse stimulated echoes.
J. Magn. Reson., 90(2):254–63, 1990.

G. P. Van der Beek, M. A. Cohen Stuart and T. Cosgrove.
Polymer adsorption and desorption studies via proton NMR relaxation of the solvent.
Langmuir, 7(2):327–34, 1991.

T. Cosgrove, M. Morgan, and R. M. Richardson.
Reply to comment by J. Kaerger and H. Jobic on "The diffusion of benzene in high silica
zeolite ZSM 5 studied by PFGNMR and QUENS".
Colloids Surf., 58(1-2):207–9, 1991.

T. Cosgrove, P. C. Griffiths, J. Hollingshurst, R. D. C. Richards and J. A. Semlyen.
Self-diffusion and spin-spin relaxation in cyclic and linear polydimethylsiloxane melts.
Macromolecules, 25(25):6761–4, 1992.

T. Cosgrove and P. C. Griffiths.
Nuclear magnetic resonance studies of adsorbed polymer layers.
Adv. Colloid Interface Sci., 42:175–204, 1992.

T. Cosgrove, T. M. Obey and M. Taylor.
Solvent relaxation NMR: bound fraction determination for sodium poly(styrenesulfonate)
at the solid/solution interface.
Colloids Surf., 64(3-4):311–6, 1992.

T. Cosgrove, P. C. Griffiths, and J. R. P. Webster.
Self-diffusion, viscosity and spin-spin relaxation in liquid poly(propylene oxide) melts.
Polymer, 35(1):140–4, 1994.

Zoltan Kiraly, Terence Cosgrove, and Brian Vincent.
NMR self-diffusion study of poly(ethylene oxide)-block-poly(dimethylsiloxane) diblock
copolymers in organic solvents and in poly(ethylene oxide) melts.
Langmuir, 9:1258–62, 1993.

T. Cosgrove and P. C. Griffiths.
The critical overlap concentration measured by pulsed field gradient nuclear magnetic
resonance techniques.
Polymer, 35(3):509–13, 1994

T. Cosgrove, S. J. Mears and P. C. Griffiths.
Colloidal dispersions of silica containing physisorbed beta-casein: a solvent NMR relaxation study.
Colloids Surf., A, 86:193–200, 1994.

T. Cosgrove and P. C. Griffiths.
Characterization of adsorbed polymer layers using NMR solvent diffusion studies.
Colloids Surf., A, 84(2-3):249–58, 1994.

T. Cosgrove, M. J. Turner, P. C. Griffiths, J. Hollingshurst, M. J. Shenton and J. A. Semlyen.
Self-diffusion and spin-spin relaxation in blends of linear and cyclic polydimethylsiloxane melts.
Polymer, 37(9):1535–1540, 1996.

S. J. Mears, T. Cosgrove, L. Thompson and I. Howell.
Solvent relaxation NMR measurements on polymer, particle, surfactant systems.
Langmuir, 14(5):997–1001, 1998

Terence Cosgrove, Michael J. Turner, Ian Weatherhead, Claire Roberts, Tania Garasanin, Randall G. Schmidt, Glenn V. Gordon and Jonathan P. Hannington.
NMR spin-spin relaxation studies of reinforced poly(dimethyl siloxane) melts.
ACS Symp. Ser., 729 (Silicones and Silicone-Modified Materials):204–213, 2000.

A. Nelson, K. S. Jack, T. Cosgrove and D. Kozak.
NMR solvent relaxation in studies of multicomponent polymer adsorption.
Langmuir, 18(7):2750–2755, 2002.

Terence Cosgrove, Kevin S. Jack, Nicholas Green, Timothy M. Obey and Matthew Wood.
NMR solvent relaxation studies on concentrated particulate dispersions.
ACS Symp. Ser., 736 (Supramolecular Structure in Confined Geometries):153–168, 1999.

S. Abrahmsen-Alami, E. Alami, J. Eastoe and T. Cosgrove.
Interaction between a novel gemini surfactant and cyclodextrin: NMR and surface tension studies.
Journal of Colloid and Interface Science, 246(1):191–202, 2002.

T. Garasanin, T. Cosgrove, L. Marteaux, A. Kretschmer, A. Goodwin and K. Zick.
NMR self-diffusion studies on PDMS oil-in-water emulsion.
Langmuir, 18(26):10298–10304, 2002.

T. Cosgrove, C. Roberts, T. Garasanin, R. G. Schmidt and G. V. Gordon.

NMR spin-spin relaxation studies of silicate-filled low molecular weight poly(dimethylsiloxane)s.
Langmuir, 18(26):10080–10085, 2002.

Tatjana Garasanin Bellenger, Terence Cosgrove, Andrew J. Goodwin, Axel Kretschmer, Leon Marteaux, Anthony J. Semlyen and Anthony Dagger.
Dynamics and structure of polydimethylsiloxane emulsions as studied by pulsed field gradient NMR and small-angle neutron scattering.
Polym. Prepr. (Am. Chem. Soc., Div. Polym. Chem.), 42(1):124–125, 2001.

Claire Roberts, Terence Cosgrove, Randall G. Schmidt, Glenn V. Gordon, Andrew J. Goodwin and Axel Kretschmer.

NMR spin relaxation, self-diffusion and viscosity studies of poly(dimethylsiloxane)s blended with silicate nanoparticles.

ACS Symposium Series, 838 (Synthesis and Properties of Silicones and SiliconeModified Materials):181–193, 2003.

S. Rossi, P. F. Luckham, N. Green and T. Cosgrove.

NMR solvent relaxation studies of na⁺-montmorillonite clay suspensions containing non-ionic polymers.

Colloids and Surfaces, A: Physicochemical and Engineering Aspects, 215(1-3):11–24, 2003.

Terence Cosgrove, Roy Hughes, Paul Reynolds, Eloise Stattersfield, Andrew Howe and Andrew Nelson.

NMR and SANS studies of nanoparticle polymer interactions.

Polymer Preprints (American Chemical Society, Division of Polymer Chemistry), 46(1):438–439, 2005.

B. Sierra-Martin, M. S. Romero-Cano, Terence Cosgrove, B. Vincent and A. Fernandez-Barbero.

Solvent relaxation of swelling pnipam microgels by NMR.

Colloids and Surfaces, A: Physicochemical and Engineering Aspects, 270-271:296–300, 2005.

Andrew Woodward, Terence Cosgrove, Joussef Espidel, Paul Jenkins and Neil. Shaw.
Monodisperse emulsions from a microfluidic device, characterized by diffusion NMR.
Soft Matter, 3:627–633, 2007.

Terence Cosgrove, Victor Rodin, Martin Murray and Richard. Buscall.

Self-diffusion in solutions of carboxylated acrylic polymers as studied by pulsed field gradient NMR. 1. solvent diffusion studies.

Journal of Polymer Research, 14:167–174, 2007.

Cecile A. Dreiss, Terence Cosgrove, Natalie J. Benton, Duncan Kilburn, M. Ashraf Alam, Randall G. Schmidt and Glenn V. Gordon.

Effect of crosslinking on the mobility of PDMS filled with polysilicate nanoparticles: positron lifetime, rheology and NMR relaxation studies.

Polymer, 48:4419–4428, 2007.

T. Cosgrove, V. Rodin, M. Murray and R. Buscall.

Self-diffusion in solutions of carboxylated acrylic polymers as studied by pulsed field gradient NMR. 2. diffusion of macromolecules.

Journal of Polymer Research, 14(3):175–180, 2007.

Charlie Flood, Terence Cosgrove, Youssef Espidel, Eloise Welfare, Ian Howell and Patricia. Revell.

Fourier-transform Carr-Purcell-Meiboom-Gill NMR experiments on polymers in colloidal dispersions: How many polymer molecules per particle ?

Langmuir, 24:7875–7880, 2008.

Edvaldo Sabadini, Fernanda do Carmo Egidio, Fred Yukio Fujiwara and Terence. Cosgrove.

Use of water spin-spin relaxation rate to probe the solvation of cyclodextrins in aqueous solutions.

Journal of Physical Chemistry B, 112:3328–3332, 2008.

Beth Foster, Terence Cosgrove and Youssef. Espidel.

PFGSE-NMR study of pH-triggered behavior in pluronic-ibuprofen solutions.

Langmuir, 25:6767–6771, 2009.

David Fairhurst, Terence Cosgrove and Stuart Prescott.

Nmr as an analytical tool to characterize nanoparticulate dispersions.

85th ACS Colloid and Surface Science Symposium, Montreal, QC, Canada, June 19-22, pages COLLSYMP–145, 2011.

Catherine L. Cooper, Terence Cosgrove, Jeroen S. van Duijneveldt, Martin Murray and Stuart W. Prescott.

Solvent relaxation nmr studies of polymer competition in aqueous systems.
pages COLLSYMP–295. American Chemical Society, 2013.

David Fairhurst, Terence Cosgrove and Stuart W. Prescott.

Relaxation nmr as a tool to study the dispersion and formulation behavior of nanostructured carbon materials.

Magn Reson Chem, 54(6):521–6, 2016.

Published references: NMR instrument design

T. Cosgrove, C. Bell, and R. F. Warren.
A stabilised high current pulse generator.
J. Phys. E., 7(1):969–971, 1974.

Terence Cosgrove.
Single scan spin-echo measurements of t1 and t2.
J. Magn. Reson., 21(3):469–72, 1976.

T. Cosgrove, J. S. Littler, and K. Stewart.
A microprocessor controlled fast data collection and display store.
J. Phys E., 13:821–2, 1980.

T. Cosgrove, J. S. Littler, and K. Stewart.
A computer-controlled pulse sequencer for pulsed NMR experiments.
J. Magn. Reson., 38(2):207–14, 1980.

T. Cosgrove and K. G. Barnett.
Driven equilibrium solid and liquid spin-echo NMR sequences.
J. Magn. Reson., 43(1):15–20, 1981.

T. Cosgrove, R. A. Jarvis, and D. S. Sissons.
A variable-frequency pulsed external NMR lock.
J. Magn. Reson., 45(2):254–6, 1981.

T. Cosgrove, S. Neck, and N. A. Finch.
A simple phase shifter for NMR spectrometers.
J. Magn. Reson., 62(2):309–10, 1985.

Terence Cosgrove, Trevor L. Crowley and Mark Morgan.
Spectral phasing by reconstruction of partial spin echoes.
J. Magn. Reson., 73(3):487–92, 1987.

Terence Cosgrove, Stuart Walker Prescott, and Roger Bruce Pettman.
Portable nmr probe for analysis of dispersions.
PCT Int. Appl., (WO2019008173A1):53pp., 01 2019.